




**1**  
YEAR  
WARRANTY

# IAWNLED270012

## 270 Degree Awning LED Light Kit Owners Manual




**Suits DeltaWing Eclipse  
& Pro Awnings**

**IMPORTANT:** Please read all procedures and precautions before using the Ironman 4x4 270° Awning LED Light Kit. If you have any questions please contact our customer service department.

# Features

FEATURES	
• Energy Saving LED Technology	
• Adjustable Light Color Settings	
• Max Lumen Output - 830L	
• Inline Power & Brightness control system	
• IP65 rated connections	
• 3M Adhesive Mounting Strips	
SPECIFICATIONS	
<b>DIMENSIONS:</b>	350 x 30 x 30mm
<b>LIGHT COLOR:</b>	Cool White / Bright White / Yellow
<b>OUTPUT:</b>	Max 276 Lumen per Light Bar / Bright White
<b>VOLTAGE:</b>	12VDC
<b>MAX POWER DRAW:</b>	Bright White @ 100% brightness = 2.15A (3 x Light Bar)
CONNECTION	
• Inline Power and Brightness control	
• 3-way splitter	
• Multi Use Cigarette Lighter fitting – Length: 3000mm	




**NOTE:** Inlet cable length 130mm




# Installation and Connection

Each LED light bar is designed to be located inside the three (3) roof frames fixed to the rear awning mounting plate. It is important that the mounting surface for the adhesive mounting strips is clean and free from dirt and debris before the light bar is attached. It is recommended that the each light bar is positioned 100mm from the end of the roof frame.



## CONNECTION DIAGRAM

Connect the 3-way splitter to the light bars, connect to the inline control and then to the power lead.



## OPERATION

- Connect to a suitable 12VDC power source
- Press the Power / Mode button (Center of controller)
- Select the light color by pressing the Power / Mode button until the desired color is achieved
- Adjust the brightness by pressing the + or – button
- Turn off pressing Power/Mode button

**NOTE:** Ensure that the light bars are disconnected, and the cables are tucked away inside the roof frame before packing the awning away, failure to do so may result in damage to the light kit or awning.



JAWWLED70012/310921